

An ISO 9001:2000
Certified Company



THE POWER OF THREE³

PHARMCO-AAPER

AND COMMERCIAL ALCOHOLS

PRODUCT AND COMPANY IDENTIFICATION

PRODUCT: Sodium Bisulfate

This MSDS is valid for all grades and catalog #'s

Synonyms: Sodium hydrogen sulfate; sodium acid sulfate; sulfuric acid, monosodium salt, monohydrate

Manufacturer: PHARMCO-AAPER

58 Vale Road

Brookfield, CT 06804

Phone (203) 740-3471

Fax (203) 740-3481

1101 Isaac Shelby Drive

Shelbyville, KY 40065

Phone (502) 633-0650

Fax (502) 633-0685

Emergency Contact:

CHEMTREC 1-800-424-9300

Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous
Sodium Bisulfate	7681-38-1	90 - 100%	Yes

Hazards Identification

Emergency Overview

DANGER! CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. MAY BE HARMFUL OR FATAL IF SWALLOWED.

Health Rating: 2 - Moderate

Flammability Rating: 0 - None

Reactivity Rating: 0 - None

Contact Rating: 3 - Severe (Corrosive)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

Storage Color Code: White (Corrosive)

Potential Health Effects

Inhalation:

Inhalation produces damaging effects on the mucous membranes and upper respiratory tract. Symptoms may include irritation of the nose and throat, and labored breathing. May cause lung edema, a medical emergency.

Ingestion:

Corrosive. Swallowing can cause severe burns of the mouth, throat, and stomach, leading to death. Can cause sore throat, vomiting, diarrhea.

Skin Contact:

Corrosive. Symptoms of redness, pain, and severe burn can occur.

Eye Contact:

Acidic irritant. Pain, tearing and redness can occur. Crystalline dust may also be abrasive. Solutions are acidic and splashes may cause eye damage.

Chronic Exposure:

Lung irritation, tracheal bronchitis, persistent coughing, and corrosion of teeth are possible effects from long term exposure to dust, mist or fumes from wet or moist sodium bisulfate.

Aggravation of Pre-existing Conditions:

No information found.

First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

Fire Fighting Measures

Fire:

Not considered to be a fire hazard.

Explosion:

Not considered to be an explosion hazard.

Fire Extinguishing Media:

Use any means suitable for extinguishing surrounding fire. Water may be used to cool containers and to knock down vapors in a fire situation. Do not use water on material itself or allow water to get inside container.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Accidental Release Measures

Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

Exposure Controls/Personal Protection

Airborne Exposure Limits:

None established.

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded, a half-face respirator with an acid gas cartridge and dust/mist filter may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece respirator with an acid gas cartridge and dust/mist filter may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. **WARNING:** Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

Eye Protection:

Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

Physical and Chemical Properties

Appearance: Colorless crystals.

Odor: Odorless.

Solubility: 67g/100g water.

Density: 2.10

pH: 1.4

% Volatiles by volume @ 21C (70F): 0

Boiling Point: Not applicable.

Melting Point: 58C (136F)

Vapor Density (Air=1): No information found.
Vapor Pressure (mm Hg): No information found.
Evaporation Rate (BuAc=1): No information found.

Stability and Reactivity

Stability:
Stable under ordinary conditions of use and storage. Hygroscopic.
Hazardous Decomposition Products:
Oxides of sulfur and the contained metal.
Hazardous Polymerization:
Will not occur.
Incompatibilities:
Strong bases, calcium hypochlorite and sodium carbonate.
Conditions to Avoid:
Moisture, dusting and incompatibles.

Toxicological Information

No LD50/LC50 information found relating to normal routes of occupational exposure. Anhydrous salt has been investigated as a mutagen.

-----\Cancer Lists\-----
---NTP Carcinogen---

Ingredient	Known	Anticipated	IARC Category
Sodium Bisulfate (7681-38-1)	No	No	None

Ecological Information

Environmental Fate: No information found.
Environmental Toxicity: No information found.

Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Although not a listed RCRA hazardous waste, this material may exhibit one or more characteristics of a hazardous waste and require appropriate analysis to determine specific disposal requirements. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

Transport Information

Domestic (Land, D.O.T.)

Proper Shipping Name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE)

Hazard Class: 8
UN/NA: UN3260
Packing Group: III
Information reported for product/size: 12KG

International (Water, I.M.O.)

Proper Shipping Name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (SODIUM BISULFATE)
Hazard Class: 8
UN/NA: UN3260
Packing Group: III
Information reported for product/size: 12KG

International (Air, I.C.A.O.)

Proper Shipping Name: SODIUM BISULPHATE, SOLID
Hazard Class: 8
UN/NA: UN1821
Packing Group: III
Information reported for product/size: 12KG

Regulatory Information

-----\Chemical Inventory Status - Part 1\-----
Ingredient TSCA EC Japan Australia

Sodium Bisulfate (7681-38-1) Yes Yes Yes Yes

-----\Chemical Inventory Status - Part 2\-----
--Canada--
Ingredient Korea DSL NDSL Phil.

Sodium Bisulfate (7681-38-1) Yes Yes No Yes

-----\Federal, State & International Regulations - Part 1\-----
-SARA 302- -SARA 313-----
Ingredient RQ TPQ List Chemical Catg.

Sodium Bisulfate (7681-38-1) No No No No

-----\Federal, State & International Regulations - Part 2\-----
-RCRA- -TSCA-
Ingredient CERCLA 261.33 8(d)

Sodium Bisulfate (7681-38-1) No No No

Chemical Weapons Convention: No TSCA 12(b): No CDTA: No
SARA 311/312: Acute: Yes Chronic: Yes Fire: No Pressure: No
Reactivity: No (Mixture / Solid)

Australian Hazchem Code: 2X
Poison Schedule: S5

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

Other Information

NFPA Ratings: Health: **3** Flammability: **0** Reactivity: **0**

Label Hazard Warning:

DANGER! CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. MAY BE HARMFUL OR FATAL IF SWALLOWED.

Label Precautions:

Do not get in eyes, on skin, or on clothing.

Do not breathe dust.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. In all cases get medical attention immediately.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 3, 15.

Disclaimer:

The information contained herein is based on data considered to be accurate. However, no warranty is expressed regarding the accuracy of these data or the results to be obtained from the use thereof. It is the user's obligation to determine the conditions of safe use of the product.