



Product Information (203) 740-3471 / Emergency Assistance CHEMTREC 1-800-424-9300

# MATERIAL SAFETY DATA SHEETS

## SECTION I

### PRODUCT AND COMPANY IDENTIFICATION

**Product: Zinc stearate**

**This MSDS is valid for all grades and catalog #'s**

Synonyms: Octadecanoic acid, zinc salt; Stearic acid, zinc salt; Zinc distearate; Zinc octadecanoate; Dibasic zinc stearate

Formula: (C17H35COO)2Zn

Manufacturer: PHARMCO-AAPER  
58 Vale Road  
Brookfield, Connecticut 06804, USA  
Phone (203) 740-3471  
Fax (203) 740-3481

1101 Isaac Shelby Drive  
Shelbyville, KY 40065  
Phone (502) 633-0650  
Fax (502) 633-0685

Emergency Contact:  
CHEMTREC 1-800-424-9300

## SECTION II

### COMPOSITION /INFORMATION ON INGREDIENTS

% by weight	Material	CAS #	TLV/PEL	LC50/LD50
-------------	----------	-------	---------	-----------

100	Zinc stearate	557-05-1	TWA: 15 (mg/m3) from OSHA (PEL) [United States] Inhalation Total. TWA: 5 (mg/m3) from OSHA (PEL) [United States] Inhalation Respirable. TWA: 5 (mg/m3) from NIOSH [United States] Inhalation Respirable. TWA: 10 (mg/m3) [Canada] Inhalation Total. TWA: 3 (mg/m3) [Canada] Inhalation Respirable. TWA: 10 STEL: 20 (mg/m3) [United Kingdom (UK)] Inhalation Total. TWA: 4 (mg/m3) [United Kingdom (UK)] Inhalation Respirable.	ORAL (LD50): Acute: >10000 mg/kg [Rat]. >10000 mg/kg [Mouse].
-----	---------------	----------	---	---

## SECTION III

### HAZARDS IDENTIFICATION

**Potential Acute Health Effects:** Slightly hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation.

**Potential Chronic Health Effects:**

CARCINOGENIC EFFECTS: Not available.

MUTAGENIC EFFECTS: Not available.

TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

Repeated or prolonged exposure is not known to aggravate medical condition.

## SECTION IV

### FIRST AID

Obtain medical attention for all cases of over-exposure.

**Eye Contact:** Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation occurs.

**Skin Contact:** Wash with soap and water. Cover the irritated skin with an emollient. Get medical attention if irritation develops.

**Hazardous Skin Contact:** Not available.

**Inhalation:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**Hazardous Inhalation:** Not available.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms appear.

**Hazardous Ingestion:** Not available.

## SECTION V

### FIRE FIGHTING MEASURES

**Fire:**

Flammability of the Product: May be combustible at high temperature.

Auto-Ignition temperature: 420°C (788°F)

Flash point: OPEN CUP: 276.67°C (530°F).

Flammable limits: Not available.

Products of Combustion: These products are carbon oxides (CO, CO2).

**Fire Hazards:** Slightly flammable to flammable in presence of heat.

**Explosion Hazards:** Risks of explosion of the product in presence of mechanical impact: Not available. Risks of

explosion of the product in presence of static discharge: Not available.

**Fire Extinguishing Media:** SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.

**Special Information:** Not available.

---

#### SECTION VI

##### SPILL/ACCIDENTAL RELEASE MEASURES

**Small Spill:** Use appropriate tools to put the spilled solid in a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and dispose of according to local and regional authority requirements.

**Large Spill:** Use a shovel to put the material into a convenient waste disposal container. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

---

#### SECTION VII

##### HANDLING AND STORAGE

**Precautions:** Keep away from heat. Keep away from sources of ignition. Ground all equipment containing material. Do not ingest. Do not breathe dust. If ingested, seek medical advice immediately and show the container or the label. Keep away from incompatibles such as oxidizing agents, acids.

**Storage:** Keep container tightly closed. Keep container in a cool, well-ventilated area.

---

#### SECTION VIII

##### EXPOSURE CONTROLS / PERSONAL PROTECTION

**Engineering Controls:** Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Personal Protection:** Safety glasses. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

**Personal Protection in Case of a Large Spill:** Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

**Exposure Limits:** TWA: 15 (mg/m<sup>3</sup>) from OSHA (PEL) [United States] Inhalation Total. TWA: 5 (mg/m<sup>3</sup>) from OSHA (PEL) [United States] Inhalation Respirable. TWA: 5 (mg/m<sup>3</sup>) from NIOSH [United States] Inhalation Respirable. TWA: 10 (mg/m<sup>3</sup>) [Canada] Inhalation Total. TWA: 3 (mg/m<sup>3</sup>) [Canada] Inhalation Respirable. TWA: 10 STEL: 20 (mg/m<sup>3</sup>) [United Kingdom (UK)] Inhalation Total. TWA: 4 (mg/m<sup>3</sup>) [United Kingdom (UK)] Inhalation Respirable. Consult local authorities for acceptable exposure limits.

---

#### SECTION IX

##### PHYSICAL AND CHEMICAL PROPERTIES

**Physical State/Appearance:** Solid. (Powdered solid.)

**Molecular Weight:** 632.33 g/mole

**Odor:** Slight.

**Taste:** Not available.

**Color:** White.

**pH (1% Solution in Water):** Not applicable.

**Boiling Point:** Not available.

**Melting Point:** 130°C (266°F)

**Critical Temperature:** Not available.

**Specific Gravity:** 1.095 (Water = 1)

**Vapor Pressure (mm Hg):** Not applicable.

**Vapor Density (Air=1):** Not available.

**Volatility:** Not available.

**Odor Threshold:** Not available.

**Evaporation Rate:** Not available.

**Viscosity:** Not available.

**Water/Oil Dist. Coefficient:** Not available.

**Ionicity (in water):** Not available.

**Dispersion Properties:** Not available.

**Solubility:** Insoluble in cold water, hot water, diethyl ether. Soluble in benzene. Insoluble in alcohol.

---

#### SECTION X

##### STABILITY/REACTIVITY INFORMATION

**Stability:** The product is stable.

**Instability Temperature:** Not available.

**Conditions of Instability:** Excess heat, incompatible materials, dust generation.

**Incompatibilities:** Reactive with oxidizing agents, acids.

**Corrosivity:** Non-corrosive in presence of glass.

**Special Information:** Not available.

---

#### SECTION XI

##### TOXICOLOGICAL INFORMATION

**Routes of Entry:** Inhalation. Ingestion.

**Toxicity to Animals:** Acute oral toxicity (LD50): >10000 mg/kg [Mouse]. Acute oral toxicity (LD50): >10000 mg/kg [Rat].

**Chronic Effects on Humans:** Not available.

**Other Toxic Effects on Humans:** Slightly hazardous in case of skin contact (irritant), of ingestion, of inhalation.

**Special Information on Toxicity to Animals:** Not available.

**Special Information on Chronic Effects/Toxicity on Humans:** Acute Potential Health Effects: Skin: May cause skin irritation. Eyes: May cause eye irritation. Inhalation: Inhalation of dust may cause respiratory tract irritation. Symptoms may include chest pain, cough, difficulty breathing. It may also cause "Metal Fumer Fever," a flu-like condition characterized by chills, headache, fever, fatigue, sweating, extreme thirst, aches in the legs and chest and difficulty breathing. It may also cause pulmonary emphysema. Ingestion: May cause gastritis, enteritis, nausea, vomiting, purging, diarrhea, abdominal cramps. May also cause headache, and lethargy, somnolence, central nervous system depression, slower tendon reflexes, lowered

white blood cell count, and may affect the liver, and kidneys.

---

## SECTION XII ECOLOGICAL INFORMATION

**Ecotoxicity:** Not available.

**BOD5 and COD:** Not available.

**Products of Biodegradation:** Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

**Toxicity of the Products of Biodegradation:** The product itself and its products of degradation are not toxic.

**Special Information on Products of Biodegradation:** Not available.

---

## SECTION XIII DISPOSAL CONSIDERATIONS

**Waste Disposal:** Recycle to process, if possible. Consult your local or regional authorities.

---

## SECTION XIV TRANSPORTATION INFORMATION

**DOT Classification:** DOT Not a DOT controlled material (United States).

**UN:** Not applicable.

**Special Provisions for Transport:** Not applicable.

---

## SECTION XV REGULATORY INFORMATION

**Federal and State Regulations:** Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on Reportable Quantities (RQs) in 40 CFR 355 (used for SARA 302, 304, 311 and 312). Components present in this product at a level which could require reporting under the statute are: **NONE**

Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III requires submission of annual report release of toxic chemicals that appear in 40 CFR 372 (used for SARA 313). This information must be included in all MSDSs that are copied and distributed for this material. Components present in this product at a level which could require reporting under the statute are: **Zinc stearate**

California prop. 65: This product contains the following ingredients for which the State of California has found to cause cancer which would require a warning under the statute: **No products were found.**

California prop. 65: This product contains the following ingredients for which the State of California has found to cause birth defects which would require a warning under the statute: **No products were found.**

**Other Classifications:**

WHMIS (Canada): Not controlled under WHMIS (Canada).

DSCL (EEC): This product is not classified according to the EU regulations.

**Protective Equipment:** Gloves. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Safety glasses.

**References:** Not available.

**Other Special Considerations:** Not available.

---

The information contained herein is based on data considered to be accurate based on the material as packaged. However, no warranty is expressed regarding the accuracy of these data or the results to be obtained from the use thereof. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It is the user's obligation to determine the conditions of safe use of the product. While this MSDS is based on technical data judged to be reliable, PHARMCO-AAPER assumes not responsibility for the completeness or accuracy of the information contained herein.